

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

FIRST NAMED INVENTOR APPLICATION NO. FILING DATE ATTORNEY DOCKET NO. CONFIRMATION NO. 09/981,790 10/19/2001 Todd J. Mortier 7528.0003-01 6743 22852 7590 04/01/2004 **EXAMINER** FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER WILLSE, DAVID H 1300 I STREET, NW ART UNIT PAPER NUMBER WASHINGTON, DC 20005 3738 DATE MAILED: 04/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

~			/	
		Application No.	Applicant(s)	
Office Action Summary		09/981,790	MORTIER ET AL.	
		Examiner	Art Unit	
		Dave Willse	3738	
Th MAILING DATE of this communication app ars on the cov r sh et with the correspondence address Period for Reply				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).				
Status				
1)⊠	Responsive to communication(s) filed on 17 Fe	ebruary 2004.		
2a)⊠	This action is FINAL . 2b) This action is non-final.			
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is			
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.			
Disposition of Claims				
5)□ 6)⊠ 7)□	Claim(s) 59-62,64,66-68,83 and 84 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) is/are allowed. Claim(s) 59-62, 64, 66-68, 83, and 84 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or election requirement.			
Applicat	tion Papers			
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority	under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s)				
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date				
3) Info	ice of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date		Patent Application (PTO-152)	

Application/Control Number: 09/981,790

Art Unit: 3738

Claims 59-62, 64, 66-68, 83, and 84 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventors, at the time the application was filed, had possession of the claimed invention. The original disclosure fails to disclose (especially for the elected configuration corresponding to Figure 9) positioning a passive device such that, at least during systole, a portion of the device contacts and passively alters a geometry of heart structure other than leaflets, chordae, papillary muscles, and an annulus associated with the in situ mitral valve so as to draw together leaflets of the in situ valve to promote closure of the in situ valve. In fact, one would expect that the alteration of the "other" heart structure occurs during diastole only, since otherwise the passive device would interfere with the normal post-systolic dilation of the heart cavities. With regard to the Applicant's tension member 225, U.S. patent application Serial No. 08/933,456 is incorporated in the present disclosure by reference (parent US 6,332,893 B1: column 4, lines 10-15), but the examiner likewise does not find any support in said incorporated application for altering the geometry of other heart structure during systole.

Because of the procedure outlined in M.P.E.P. 2163.06 for interpreting the claims, it is noted that prior art may be applicable under 35 U.S.C. 102 or 35 U.S.C. 103(a) once the aforementioned problem under 35 U.S.C. 112, first paragraph, is corrected. For example, although the present invention is said to improve the functioning of the mitral valve during systole, the same is likely true of certain prior art devices (e.g., US 5,800,528) which passively reduce ventricular dilatation.

Application/Control Number: 09/981,790

Art Unit: 3738

The narrowing of the "other" heart structure so as to exclude the annulus, chordae, and papillary muscles associated with the *in situ* mitral valve necessitated the new grounds of rejection. Therefore:

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dave Willse whose telephone number is (703) 308-2903. The examiner can normally be reached Monday through Thursday and often on Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott, can be reached on (703) 308-2111. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0858.

Dave Willse Primary Examiner Art Unit 3738